

new  
ker

<b>MODEL:</b>	<b>STATE</b>			
<b>BRAND:</b>	<b>NEWKER</b>	<b>CODE:</b>	175102	<b>COLOR:</b> SAND
<b>CERAMIC TILES CLASSIFICATION (UNE-EN-14411): Grupo Bla. Anexo G</b>				<b>DATE:</b> 03/09/2021

STANDARD	CHARACTERISTICS		TEST RESULT
UNE-EN ISO 10545-4	Breaking strength		2.100 N
UNE-EN ISO 10545-4	Modulus of rupture		49
UNE-EN ISO 10545-7	Resistance to surface abrasion		
	Class		-
	Abrasion stage		-
UNE-EN ISO 10545-11	Resistance to crazing		Resiste / Resist
UNE-EN ISO 10545-12	Frost Resistance		Resiste / Resist
UNE-EN ISO 10545-14	Resistance to staining		
	Fe <sub>2</sub> O <sub>3</sub> / Cr <sub>2</sub> O <sub>3</sub>		5
	Iodine / alcohol solution		5
	Light oil		5
UNE-EN ISO 10545-13	Chemical Resistance		
	Household chemicals		Cumple /Passed
	Swimming pool salts		Resiste / Resist
	Citric Acid		Mín. Gla
	Lactic Acid		Mín. Gla
	Hydrochloric Acid low concentrations		Mín. GLA
	Hydrochloric Acid high concentrations		Mín. GHA
	Potassium Hydroxide low concentrations		Mín. GLA
Potassium Hydroxide high concentrations		Mín. GHA	
<b>Dimension (mm)</b>	597,0x597,0		<b>Thickness (mm)</b> 9.6
<b>Slipperness</b>	C1		<b>Water absorption</b> E < 0,5%

new  
ker

NUEVA CERÁMICA NEWKER CA SL  
B-12880357  
C/ Sta. Magdalena de Pulpis, 10  
12006 - CASTELLÓN (SPAIN)